

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1-22. (Cancelled)

23. (Currently Amended)     A capacitor comprising:  
a positive electrode of a valve metal,  
a dielectric of an anodized film formed on said valve metal, and  
a negative electrode comprising a composite material in contact with said  
anodized film,  
wherein said composite material comprises a conductive polymer and an ionic  
liquid capable of repairing a defect in said anodized film.

24. (Previously Presented)     The capacitor according to claim 23, wherein said  
conductive polymer comprises at least one selected from the group consisting of  
polypyrrole, polyaniline, polythiophene, and derivatives thereof.

25. (Previously Presented)     The capacitor according to claim 23, wherein said negative  
electrode further comprises a metallic part in contact with said composite material.

26. (Previously Presented)     A method of forming the capacitor of claim 23 comprising  
the steps of:  
preparing a mixture including said ionic liquid and at least one kind of monomer,  
placing said mixture so as to contact with said anodized film and  
polymerizing said mixture ~~to~~ so that said at least one kind of monomer converts  
into said conductive polymer.

27. (Previously Presented) The method according to claim 26, wherein said ionic liquid having been included in said mixture is remained in said composite material after said polymerization.

28. (Previously Presented) A method of forming the capacitor of claim 23 comprising the steps of:

preparing a layer of said conductive polymer, and  
impregnating said layer of said conductive polymer with said ionic liquid.

29. (Previously Presented) A source material kit for forming said composite material to be used in the capacitor of claim 23 comprising the ionic liquid and at least one kind of monomer.

30. (Previously Presented) The source material kit according to claim 29, wherein said monomer is at least one selected from the group consisting of polypyrrole, polyaniline, polythiophene, and derivatives thereof.

31. (Previously Presented) The capacitor according to Claim 23, wherein said valve metal is at least one selected from the group consisting of aluminum, tantalum, niobium, and an alloy thereof.

32. (Previously Presented) A method of improving a withstand voltage of a capacitor that comprises:

a positive electrode of a valve metal,  
a dielectric of an anodized film formed on the valve metal, and  
a negative electrode comprising a composite material in contact with the anodized film,  
wherein the composite material comprises a conductive polymer and an ionic liquid,  
the method comprising a step of:

repairing a defect of the anodized film formed on the valve material of the positive electrode with the ionic liquid.